ELSEVIER

Journal of Affective Disorders 66 (2001) 287–289

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

# Author index

Abildgaard, W., see Bech, P. (66) 159
Alpert, M., Pouget, E.R. and Silva, R.R.
Reflections of depression in acoustic measures of the patient's speech (66) 59
Amado, D., see Stravynski, A. (66) 281
Antonio Talavera, J., see Garcia-Toro, M. (66) 103
Arolt, V., see Rothermundt, M. (66) 89
Austin, M.-P., see Brodaty, H. (66) 225

Barzega, G., Maina, G., Venturello, S. and Bogetto, F.
Dysthymic disorder: clinical characteristics in relation to age at onset (66) 39
Bauer, M., see Gyulai, L. (66) 185
Baumgartner, A., see Gyulai, L. (66) 185
Bech, P., Rasmussen, N.-A., Olsen, L.R., Noerholm, V. and Abildgaard, W.
The sensitivity and specificity of the Major Depression Inventory, using the Present State Examination as the index of diagnostic validity (66) 159
Beersma, D.G.M., see van Houwelingen, C.A.J. (66) 215
Bellavance, F., see McManus, K. (66) 273
Benazzi, F.
Bipolar II depression in late life: prevalence and clinical features in 525 depressed outpatients (66) 13
Benkert, O., see Müller, M.J. (66) 255
Berghöfer, A., see Gyulai, L. (66) 185
Berle, D., see Brodaty, H. (66) 237
Bird, D., see Robertson, H.A. (66) 25
Blöink, R., see Brieger, P. (66) 263
Bogetto, F., see Barzega, G. (66) 39
Borger, S.C., see Enns, M.W. (66) 175
Brammer, M.J., see Curtis, V.A. (66) 111
Brieger, P., Blöink, R., Sommer, S. and Marneros, A.
Affective symptoms at index hospitalization in childhood and depressive symptoms in adulthood: a 'catch-up' study (66) 263
Brodaty, H., Berle, D., Hickie, I. and Mason, C.
'Side effects' of ECT are mainly depressive phenomena and are independent of age (66) 237
Brodaty, H., Luscombe, G., Parker, G., Wilhelm, K., Hickie, I., Austin, M.-P. and Mitchell, P.
Early and late onset depression in old age: different aetiologies, same phenomenology (66) 225
Bruijn, J.A., Moleman, P., Mulder, P.G.H. and van den Broek, W.W.
Treatment of mood-congruent psychotic depression with imipramine (66) 165
Bullmore, E.T., see Curtis, V.A. (66) 111

Conwell, Y., see Seidlitz, L. (66) 123
Copolov, D., see Dean, B. (66) 147
Cox, B.J., see Enns, M.W. (66) 175
Cox, C., see Seidlitz, L. (66) 123
Curtis, V.A., Dixon, T.A., Morris, R.G., Bullmore, E.T., Brammer, M.J., Williams, S.C.R., Sharma, T., Murray, R.M. and McGuire, P.K.
Differential frontal activation in schizophrenia and bipolar illness during verbal fluency (66) 111

Dean, B., Pavey, G., McLeod, M., Opeskin, K., Keks, N. and Copolov, D.
A change in the density of [$^3$H]flumazenil, but not [$^3$H]muscimol binding, in Brodmann's Area 9 from subjects with bipolar disorder (66) 147
Denning, D., see Seidlitz, L. (66) 123
Dixon, T.A., see Curtis, V.A. (66) 111
Duberstein, P., see Seidlitz, L. (66) 123

Enns, M.W., Cox, B.J. and Borger, S.C.
Correlates of analogue and clinical depression: a further test of the phenomenological continuity hypothesis (66) 175
Evers, S., Hengst, K. and Pecuch, P.W.
The impact of repetitive transcranial magnetic stimulation on pituitary hormone levels and cortisol in healthy subjects (66) 83
Ezcurra, J., see Gonzalez-Pinto, A. (66) 247

Fábián, Z., see Treuer, T. (66) 283
Feiger, A.D., see Rudolph, R.L. (66) 97
Feinstein, A. and Feinstein, K.
Depression associated with multiple sclerosis. Looking beyond diagnosis to symptom expression (66) 193
Feinstein, K., see Feinstein, A. (66) 193
Föhr, J., see Mervaala, E. (66) 47
Füredi, J., see Treuer, T. (66) 283

Garcia-Espana, F., see Gyulai, L. (66) 185
Garcia-Toro, M., Manuel Montes, J. and Antonio Talavera, J.
Functional cerebral asymmetry in affective disorders: new facts contributed by transcranial magnetic stimulation (66) 103

PII: S0165-0327(01)00401-3

Gilaberte, I., see Gonzalez-Pinto, A. (66) 247
Gonzalez-Pinto, A., Lalaguna, B., Mosquera, F., Pérez de Heredia, J.L., Gutierrez, M., Ezcurra, J., Gilaberte, I. and Tohen, M.
Use of olanzapine in dysphoric mania (66) 247
Grasswick, L., see Robertson, H.A. (66) 25
Griens, A.M.G.F., see Hoencamp, E. (66) 267
Gutierrez, M., see Gonzalez-Pinto, A. (66) 247
Gyulai, L., Bauer, M., Garcia-Espana, F., Hierholzer, J., Baumgartner, A., Berghöfer, A. and Whybrow, P.C.
Bone mineral density in pre-and post-menopausal women with affective disorder treated with long-term L-thyroxine augmentation (66) 185

Haffmans, P.M.J., see Hoencamp, E. (66) 267
Hengst, K., see Evers, S. (66) 83
Herzog, G., see Hofmann, P.J. (66) 75
Heycop ten Ham, B.F., see Hoencamp, E. (66) 267
Hickie, I., see Brodaty, H. (66) 225
Hickie, I., see Brodaty, H. (66) 237
Hierholzer, J., see Gyulai, L. (66) 185
Hoencamp, E., Haffmans, P.M.J., Griens, A.M.G.F., Huijbrechts, I.P.A.M. and Heycop ten Ham, B.F.
A 3.5-year naturalistic follow-up study of depressed outpatients (66) 267
Hofmann, P.J., Nutzinger, D.O., Kotter, M.R. and Herzog, G.
The hypothalamic–pituitary–thyroid axis in agoraphobia, panic disorder, major depression and normal controls (66) 75
Hong, C.-J., see Lai, I.-C. (66) 79
Huijbrechts, I.P.A.M., see Hoencamp, E. (66) 267
Husso-Saastamoinen, M., see Mervaala, E. (66) 47
Hwang, H.Z., see Jin, D.K. (66) 19

Jin, D.K., Hwang, H.Z., Oh, M.R., Kim, J.S., Lee, M., Kim, S., Lim, S.-W., Seo, M.Y., Kim, J.-H. and Kim, D.K.
CAG repeats of CTG18.1 and KCNN3 in Korean patients with bipolar affective disorder (66) 19
Judge, R.
Once-daily venlafaxine extended release (XR) vs. fluoxetine for the treatment of depression (66) 95

Keks, N., see Dean, B. (66) 147
Kennedy, C., see Stein, M.B. (66) 133
Kim, D.K., see Jin, D.K. (66) 19
Kim, J.-H., see Jin, D.K. (66) 19
Kim, J.S., see Jin, D.K. (66) 19
Kim, S., see Jin, D.K. (66) 19
Kirchner, H., see Rothermundt, M. (66) 89
Könönen, M., see Mervaala, E. (66) 47
Kotter, M.R., see Hofmann, P.J. (66) 75
Kuikka, J.T., see Mervaala, E. (66) 47
Kutcher, S.P., see Robertson, H.A. (66) 25

Lai, I.-C., Hong, C.-J. and Tsai, S.-J.
Association study of nicotinic-receptor variants and major depressive disorder (66) 79
Lalaguna, B., see Gonzalez-Pinto, A. (66) 247
Le Mellédo, J.-M., see McManus, K. (66) 273
Lee, M., see Jin, D.K. (66) 19
Lehtonen, J., see Mervaala, E. (66) 47
Lim, S.-W., see Jin, D.K. (66) 19
Luscombe, G., see Brodaty, H. (66) 225

Mahmood, T. and Silverstone, T.
Serotonin and bipolar disorder (66) 1
Maina, G., see Barzega, G. (66) 39
Manuel Montes, J., see Garcia-Toro, M. (66) 103
Marneros, A., see Brieger, P. (66) 263
Mason, C., see Brodaty, H. (66) 237
McGuire, P.K., see Curtis, V.A. (66) 111
McLeod, M., see Dean, B. (66) 147
McManus, K., Tait, G.R., Bellavance, F. and Le Mellédo, J.-M.
Effect of ethinyl estradiol on the panic response to the panicogenic agent pentagastrin (66) 273
Mervaala, E., Könönen, M., Föhr, J., Husso-Saastamoinen, M., Valkonen-Korhonen, M., Kuikka, J.T., Viinamäki, H., Tammi, A.-K., Tiihonen, J., Partanen, J. and Lehtonen, J.
SPECT and neuropsychological performance in severe depression treated with ECT (66) 47
Miller, I., see Posternak, M.A. (66) 139
Missler, U., see Rothermundt, M. (66) 89
Mitchell, P., see Brodaty, H. (66) 225
Moleman, P., see Bruijn, J.A. (66) 165
Morris, R.G., see Curtis, V.A. (66) 111
Mosquera, F., see Gonzalez-Pinto, A. (66) 247
Mulder, P.G.H., see Bruijn, J.A. (66) 165
Müller, M.J. and Benkert, O.
Lower self-reported depression in patients with erectile dysfunction after treatment with sildenafil (66) 255
Murray, R.M., see Curtis, V.A. (66) 111

Noerholm, V., see Bech, P. (66) 159
Nutzinger, D.O., see Hofmann, P.J. (66) 75

Oh, M.R., see Jin, D.K. (66) 19
Olsen, L.R., see Bech, P. (66) 159
Opeskin, K., see Dean, B. (66) 147

Parker, G., see Brodaty, H. (66) 225
Parker, G. and Ritch, J.
The influence of an uncaring partner on the type and outcome of depression (66) 207
Partanen, J., see Mervaala, E. (66) 47
Pavey, G., see Dean, B. (66) 147
Pecuch, P.W., see Evers, S. (66) 83
Pérez de Heredia, J.L., see Gonzalez-Pinto, A. (66) 247
Peters, M., see Rothermundt, M. (66) 89
Posternak, M.A. and Miller, I.
Untreated short-term course of major depression: a meta-analysis of outcomes from studies using wait-list control groups (66) 139
Pouget, E.R., see Alpert, M. (66) 59

Rasmussen, N.-A., see Bech, P. (66) 159
Ritch, J., see Parker, G. (66) 207
Robertson, H.A., Kutcher, S.P., Bird, D. and Grasswick, L.
Impact of early onset bipolar disorder on family functioning.

Adolescents' perceptions of family dynamics, communication, and problems (66) 25
Rothermundt, M., Arolt, V., Wiesmann, M., Missler, U., Peters, M., Rudolf, S. and Kirchner, H.
S-100B is increased in melancholic but not in non-melancholic major depression (66) 89
Roy, A. and Segal, N.L.
Suicidal behavior in twins: a replication (66) 71
Rudolf, S., see Rothermundt, M. (66) 89
Rudolph, R.L. and Feiger, A.D.
Response to "Once-daily venlafaxin extended release (XR) vs. fluoxetine for the treatment of depression" (66) 97

Sachs, G.S., see Yýldýz, A. (66) 199
Segal, N.L., see Roy, A. (66) 71
Seidlitz, L., Conwell, Y., Duberstein, P., Cox, C. and Denning, D.
Emotion traits in older suicide attempters and non-attempters (66) 123
Seo, M.Y., see Jin, D.K. (66) 19
Sharma, T., see Curtis, V.A. (66) 111
Silva, R.R., see Alpert, M. (66) 59
Silverstone, T., see Mahmood, T. (66) 1
Sommer, S., see Brieger, P. (66) 263
Stein, M.B. and Kennedy, C.
Major depressive and post-traumatic stress disorder comorbidity in female victims of intimate partner violence (66) 133
Stravynski, A. and Amado, D.
Fact or artifact–a comment on "Subpopulations of early separation anxiety: relevance to risk of adult anxiety disorders" (66) 281

Tait, G.R., see McManus, K. (66) 273
Tammi, A.-K., see Mervaala, E. (66) 47
Tiihonen, J., see Mervaala, E. (66) 47
Tohen, M., see Gonzalez-Pinto, A. (66) 247
Treuer, T., Fábián, Z. and Füredi, J.
Internet addiction associated with features of impulse control disorder: is it a real psychiatric disorder? (66) 283
Tsai, S.-J., see Lai, I.-C. (66) 79

Valkonen-Korhonen, M., see Mervaala, E. (66) 47
van den Broek, W.W., see Bruijn, J.A. (66) 165
van Houwelingen, C.A.J. and Beersma, D.G.M.
Seasonal changes in 24-h patterns of suicide rates: a study on train suicides in The Netherlands (66) 215
Venturello, S., see Barzega, G. (66) 39
Viinamäki, H., see Mervaala, E. (66) 47

Whybrow, P.C., see Gyulai, L. (66) 185
Wiesmann, M., see Rothermundt, M. (66) 89
Wilhelm, K., see Brodaty, H. (66) 225
Williams, S.C.R., see Curtis, V.A. (66) 111

Yýldýz, A. and Sachs, G.S.
Administration of antidepressants. Single versus split dosing: a meta-analysis (66) 199

ELSEVIER

Journal of Affective Disorders 66 (2001) 291–294

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

# Subject index

**Adaptation;** Antidepressants: Meta-analysis: Dosing schedule: Compliance **66,** 199

**Adulthood;** Affective symptoms: Index hospitalization: Childhood: Depressive symptoms: Catch-up study **66,** 263

**Aetiology;** Age at onset: Early-onset: Major depression: Phenomenology **66,** 225

**Affect;** Depression: Irritability: Sadness: Anger: Syndromes **66,** 193

**Affective Disorder;** L-Thyroxine augmentation: T4: Bone density: Osteoporosis: Dual energy X-ray absorptiometry: DEXA **66,** 185

**Affective symptoms;** Index hospitalization: Childhood: Depressive symptoms: Adulthood: Catch-up study **66,** 263

**Age;** Electroconvulsive therapy: Side effects: Cognition: Aging: Depression **66,** 237

**Age at onset;** Early-onset: Major depression: Aetiology: Phenomenology **66,** 225

**Aging;** Electroconvulsive therapy: Side effects: Cognition: Age: Depression **66,** 237

**Agitation/retardation;** Depressed voice: Prosody: Fluency: Automatic speech **66,** 59

**Analogue depression;** Depression: Sub-threshold depression: Personality: Perfectionism: Continuity hypothesis **66,** 175

**Anger;** Affect: Depression: Irritability: Sadness: Syndromes **66,** 193

**Antidepressant effect;** Imipramine: Fixed-blood-level monitoring: Study design: Major depression with psychotic features **66,** 165

**Antidepressants;** Meta-analysis: Dosing schedule: Adaptation: Compliance **66,** 199

**Association study;** Polymorphism: Nicotinic receptor: Major depressive disorder **66,** 79

**Atypical features;** Bipolar II depression: Late life: Prevalence: Clinical features **66,** 13

**Automatic speech;** Depressed voice: Prosody: Fluency: Agitation/retardation **66,** 59

**Bipolar;** Serotonin: 5-HT **66,** 1

**Bipolar affective disorder;** Genetics: Trinucleotide repeats **66,** 19

**Bipolar disorder;** Schizophrenia: GABA: $GABA_A$ receptor: Glutamate: Serotonin **66,** 147

**Bipolar I;** Unipolar: Youth: Perceived family functioning **66,** 25

**Bipolar II depression;** Late life: Prevalence: Clinical features: Atypical features **66,** 13

**Bipolar illness;** Differential frontal activation: Schizophrenia: Verbal fluency **66,** 111

**Bone density;** L-Thyroxine augmentation: T4: Osteoporosis: Affective Disorder: Dual energy X-ray absorptiometry: DEXA **66,** 185

**β-Adrenergic system;** Panic disorder: Pentagastrin: $CCK_B$ agonist: Ethinyl estradiol: Heart rate **66,** 273

**Catch-up study;** Affective symptoms: Index hospitalization: Childhood: Depressive symptoms: Adulthood **66,** 263

**$CCK_B$ agonist;** Panic disorder: Pentagastrin: Ethinyl estradiol: Heart rate: β-Adrenergic system **66,** 273

**CES–D;** Erectile Dysfunction: Depression: Sildenafil **66,** 255

**Chaos;** Transcranial magnetic stimulation: Mania: Depression: Complexity **66,** 103

**Childhood;** Affective symptoms: Index hospitalization: Depressive symptoms: Adulthood: Catch-up study **66,** 263

**Chronicity;** Depressive disorder: Treatment outcome: Follow-up: Recurrence: Relapse **66,** 267

**Circadian rhythm;** Suicide: Seasons: Railroads **66,** 215

**Clinical features;** Bipolar II depression: Late life: Prevalence: Atypical features **66,** 13

**Clinical variability;** Dysthymia: Symptomatological characterization **66,** 39

**Cognition;** Electroconvulsive therapy: Side effects: Age: Aging: Depression **66,** 237

**Complexity;** Transcranial magnetic stimulation: Mania: Depression: Chaos **66,** 103

**Compliance;** Antidepressants: Meta-analysis: Dosing schedule: Adaptation **66,** 199

PII: S0165-0327(01)00402-5

**Continuity hypothesis;** Depression; Analogue depression; Sub-threshold depression; Personality; Perfectionism **66,** 175

**Cortisol;** Transcranial magnetic stimulation; Prolactin; FSH; TSH **66,** 83

**Depressed voice;** Prosody; Fluency; Automatic speech; Agitation/retardation **66,** 59

**Depression;** ECT; SPECT; rCBF; Iomazenil **66,** 47

**Depression;** Transcranial magnetic stimulation; Mania; Chaos; Complexity **66,** 103

**Depression;** Analogue depression; Sub-threshold depression; Personality; Perfectionism; Continuity hypothesis **66,** 175

**Depression;** Affect; Irritability; Sadness; Anger; Syndromes **66,** 193

**Depression;** Intimate relationships; Intimate Bond Measure; Melancholic and non-melancholic **66,** 207

**Depression;** Electroconvulsive therapy; Side effects; Cognition; Age; Aging **66,** 237

**Depression;** Erectile Dysfunction; CES–D; Sildenafil **66,** 255

**Depression geriatric psychiatry;** Emotion personality; Suicide **66,** 123

**Depressive disorder;** Treatment outcome; Chronicity; Follow-up; Recurrence; Relapse **66,** 267

**Depressive symptoms;** Affective symptoms; Index hospitalization; Childhood; Adulthood; Catch-up study **66,** 263

**DEXA;** L-Thyroxine augmentation; T4; Bone density; Osteoporosis; Affective Disorder; Dual energy X-ray absorptiometry **66,** 185

**Differential frontal activation;** Bipolar illness; Schizophrenia; Verbal fluency **66,** 111

**Domestic violence;** Intimate partner violence; Major depressive disorder; Post-traumatic stress disorder **66,** 133

**Dosing schedule;** Antidepressants; Meta-analysis; Adaptation; Compliance **66,** 199

**Dual energy X-ray absorptiometry;** L-Thyroxine augmentation; T4; Bone density; Osteoporosis; Affective Disorder; DEXA **66,** 185

**Dysphoric mania;** Naturalistic study; Olanzapine; Prevalence **66,** 247

**Dysthymia;** Clinical variability; Symptomatological characterization **66,** 39

**Early-onset;** Age at onset; Major depression; Aetiology; Phenomenology **66,** 225

**ECT;** SPECT; rCBF; Iomazenil; Depression **66,** 47

**Electroconvulsive therapy;** Side effects; Cognition; Age; Aging; Depression **66,** 237

**Emotion personality;** Suicide; Depression geriatric psychiatry **66,** 123

**Erectile Dysfunction;** Depression; CES–D; Sildenafil **66,** 255

**Ethinyl estradiol;** Panic disorder; Pentagastrin; $CCK_B$ agonist; Heart rate; β-Adrenergic system **66,** 273

**Fixed-blood-level monitoring;** Imipramine; Study design; Antidepressant effect; Major depression with psychotic features **66,** 165

**Fluency;** Depressed voice; Prosody; Automatic speech; Agitation/retardation **66,** 59

**Follow-up;** Depressive disorder; Treatment outcome; Chronicity; Recurrence; Relapse **66,** 267

**FSH;** Transcranial magnetic stimulation; Cortisol; Prolactin; TSH **66,** 83

**GABA;** Schizophrenia; Bipolar disorder; $GABA_A$ receptor; Glutamate; Serotonin **66,** 147

**$GABA_A$ receptor;** Schizophrenia; Bipolar disorder; GABA; Glutamate; Serotonin **66,** 147

**Genetics;** Bipolar affective disorder; Trinucleotide repeats **66,** 19

**Glutamate;** Schizophrenia; Bipolar disorder; GABA; $GABA_A$ receptor; Serotonin **66,** 147

**Heart rate;** Panic disorder; Pentagastrin; $CCK_B$ agonist; Ethinyl estradiol; β-Adrenergic system **66,** 273

**5-HT;** Serotonin; Bipolar **66,** 1

**Imipramine;** Fixed-blood-level monitoring; Study design; Antidepressant effect; Major depression with psychotic features **66,** 165

**Index hospitalization;** Affective symptoms; Childhood; Depressive symptoms; Adulthood; Catch-up study **66,** 263

**Intimate Bond Measure;** Depression; Intimate relationships; Melancholic and non-melancholic **66,** 207

**Intimate partner violence;** Domestic violence; Major depressive disorder; Post-traumatic stress disorder **66,** 133

**Intimate relationships;** Depression; Intimate Bond Measure; Melancholic and non-melancholic **66,** 207

**Iomazenil;** ECT; SPECT; rCBF; Depression **66,** 47

**Irritability;** Affect; Depression; Sadness; Anger; Syndromes **66,** 193

**L-Thyroxine augmentation;** T4; Bone density; Osteoporosis; Affective Disorder; Dual energy X-ray absorptiometry; DEXA **66,** 185

**Late life;** Bipolar II depression; Prevalence; Clinical features; Atypical features **66,** 13

**Major Depression;** Melancholia; S-100B; Neurodegeneration **66,** 89

**Major depression;** Age at onset; Early-onset; Aetiology; Phenomenology **66,** 225

**Major depression inventory;** Sensitivity; Specificity; SCAN **66,** 159

**Major depression with psychotic features;** Imipramine; Fixed-blood-level monitoring; Study design; Antidepressant effect **66,** 165

**Major depressive disorder;** Association study; Polymorphism; Nicotinic receptor **66,** 79

**Major depressive disorder;** Domestic violence; Intimate partner violence; Post-traumatic stress disorder **66,** 133

**Mania;** Transcranial magnetic stimulation; Depression; Chaos; Complexity **66,** 103

**Melancholia;** Major Depression; S-100B; Neurodegeneration **66,** 89

**Melancholic and non-melancholic;** Depression; Intimate relationships; Intimate Bond Measure **66,** 207

**Meta-analysis;** Antidepressants; Dosing schedule; Adaptation; Compliance **66,** 199

**Naturalistic study;** Dysphoric mania; Olanzapine; Prevalence **66,** 247

**Neurodegeneration;** Major Depression; Melancholia; S-100B **66,** 89

**Nicotinic receptor;** Association study; Polymorphism; Major depressive disorder **66,** 79

**Olanzapine;** Dysphoric mania; Naturalistic study; Prevalence **66,** 247

**Osteoporosis;** L-Thyroxine augmentation; T4; Bone density; Affective Disorder; Dual energy X-ray absorptiometry; DEXA **66,** 185

**Panic disorder;** Pentagastrin; $CCK_B$ agonist; Ethinyl estradiol; Heart rate; β-Adrenergic system **66,** 273

**Pentagastrin;** Panic disorder; $CCK_B$ agonist; Ethinyl estradiol; Heart rate; β-Adrenergic system **66,** 273

**Perceived family functioning;** Bipolar I; Unipolar; Youth **66,** 25

**Perfectionism;** Depression; Analogue depression; Sub-threshold depression; Personality; Continuity hypothesis **66,** 175

**Personality;** Depression; Analogue depression; Sub-threshold depression; Perfectionism; Continuity hypothesis **66,** 175

**Phenomenology;** Age at onset; Early-onset; Major depression; Aetiology **66,** 225

**Polymorphism;** Association study; Nicotinic receptor; Major depressive disorder **66,** 79

**Post-traumatic stress disorder;** Domestic violence; Intimate partner violence; Major depressive disorder **66,** 133

**Prevalence;** Bipolar II depression; Late life; Clinical features; Atypical features **66,** 13

**Prevalence;** Dysphoric mania; Naturalistic study; Olanzapine **66,** 247

**Prolactin;** Transcranial magnetic stimulation; Cortisol; FSH; TSH **66,** 83

**Prosody;** Depressed voice; Fluency; Automatic speech; Agitation/retardation **66,** 59

**Railroads;** Suicide; Seasons; Circadian rhythm **66,** 215

**rCBF;** ECT; SPECT; Iomazenil; Depression **66,** 47

**Recurrence;** Depressive disorder; Treatment outcome; Chronicity; Follow-up; Relapse **66,** 267

**Relapse;** Depressive disorder; Treatment outcome; Chronicity; Follow-up; Recurrence **66,** 267

**Sadness;** Affect; Depression; Irritability; Anger; Syndromes **66,** 193

**SCAN;** Major depression inventory; Sensitivity; Specificity **66,** 159

**Schizophrenia;** Bipolar illness; Differential frontal activation; Verbal fluency **66,** 111

**Schizophrenia;** Bipolar disorder; GABA; $GABA_A$ receptor; Glutamate; Serotonin **66,** 147

**Seasons;** Suicide; Circadian rhythm; Railroads **66,** 215

**Sensitivity;** Major depression inventory; Specificity; SCAN **66,** 159

**Serotonin;** 5-HT; Bipolar **66,** 1

**Serotonin;** Schizophrenia; Bipolar disorder; GABA; $GABA_A$ receptor; Glutamate **66,** 147

**Side effects;** Electroconvulsive therapy; Cognition; Age; Aging; Depression **66,** 237

**Sildenafil;** Erectile Dysfunction; Depression; CES–D **66,** 255

**Specificity;** Major depression inventory; Sensitivity; SCAN **66,** 159

**SPECT;** ECT; rCBF; Iomazenil; Depression **66,** 47

**Study design;** Imipramine; Fixed-blood-level monitoring; Antidepressant effect; Major depression with psychotic features **66,** 165

**Sub-threshold depression;** Depression; Analogue depression; Personality; Perfectionism; Continuity hypothesis **66,** 175

**Suicide;** Emotion personality; Depression geriatric psychiatry **66,** 123

**Suicide;** Seasons; Circadian rhythm; Railroads **66,** 215

**Symptomatological characterization;** Dysthymia; Clinical variability **66,** 39

**Syndromes;** Affect; Depression; Irritability; Sadness; Anger **66,** 193

**S-100B;** Major Depression; Melancholia; Neurodegeneration **66,** 89

**T4;** L-Thyroxine augmentation; Bone density; Osteoporosis; Affective Disorder; Dual energy X-ray absorptiometry; DEXA **66,** 185

**Transcranial magnetic stimulation;** Cortisol; Prolactin; FSH; TSH **66,** 83

**Transcranial magnetic stimulation;** Mania; Depression; Chaos; Complexity **66,** 103

**Treatment outcome;** Depressive disorder; Chronicity; Follow-up; Recurrence; Relapse **66,** 267

**Trinucleotide repeats;** Bipolar affective disorder; Genetics **66,** 19

**TSH;** Transcranial magnetic stimulation; Cortisol; Prolactin; FSH **66,** 83

**Unipolar;** Bipolar I; Youth; Perceived family functioning **66,** 25

**Verbal fluency;** Bipolar illness; Differential frontal activation; Schizophrenia **66,** 111

**Youth;** Bipolar I; Unipolar; Perceived family functioning **66,** 25